
SMALL WATERPROOF ACCESSORIES FOR BIG INSTALLATIONS









SMALL WATERPROOF ACCESSORIES FOR BIG INSTALLATIONS


THE STRENGTH OF SIMPLICITY, the largest range of small pre-filled accessories to protect, make reliable and seal electrical connections.


Ready to use and with no shelf life, they offer maximum versatility through the widest variety of dimensions to face any installation with efficiency and comfort.

Suitable for several types of connectors, from traditional screwed strip connectors to the latest innovative extra flat models. They represent the most versatile, easy to use and reliable system to bring connectors designed for indoors, outdoors.











Нарру 2			C B A
Product	Description	Package	A x B x C (mm)
Нарру 1	x 1 pcs	Blister	53 x 39 x 24
IDEAL FOR (or similar):	· 1 · 10		

2x + 2x + 2x 2.5 mm²

....

3x 4 mm²

3x 4 mm²





2x + 2x + 2x 4 mm²



Ray Tech New

Electrical performance: CEI EN 50393: 2006 as applicable

Gel: UL 94-HB

Operating temperature

Installation temperature: -40°C / +50°C

Fully submersible 📚

Can be used underground



Happy Joint

The revolutionary mini accessories with 3 entrances, pre-filled with gel and suitable for submersible installations (IPX8) complete with connectors.

111

111

- Extremely versatile ready to use re-enterable
- Small, compact and robust
- No need for tools
- Pre-filled with gel, non toxic and no shelf life
- Can energise immediately
- For straight and branch connections
- For rigid or flexible insulated wires up to 4 mm²
- Up to 5 conductors on one phase or up to two conductors on two or three phases
- Halogen free
- UV resistant

Latest generation, extra flat connectors included in the kit.



REVOLUTION

Happy Joint 3					
Product	Formation and w (Max N° x mm ²)	ires cross section Combination	Pieces for package	A x B x C (mm)	
Happy Joint 3	3 x 1 - 4	2 through / 1 branch	4 pcs/ Blister	41 x 28 x 19	





With one connector included for each Happy

Happy Joint 4

Happy J	C B A			
Product	Formation and w (Max N° x mm ²)	ires cross section Combination	Pieces for package	A x B x C (mm)
Happy Joint 4	4 x 1 - 4	2 through / in/out	2 pcs/ Blister	45 x 37 x 24





With two connectors included for each Happy




Happy J	C B A			
	Formation and wires cross section			АхВхС
Product	(Max N° x mm ²)	Combination	package	(mm)
Happy Joint 5	5 x 1 - 4	2 through / 3 branch	2 pcs/ Blister	45 x 37 x 24





With one connector included for each Happy






Happy Joint 6				
	Formation and w	ires cross section	Pieces for	A x B x C
Product	(Max N° x mm²)	Combination	package	(mm)
Happy Joint 6	6 x 1 - 4	3 through / in/out	1 pcs/ Blister	53 x 39 x 24





With three connectors included for each Happy









Gel: UL 94-HB 🕬 us

Operating temperature

Installation temperature: -40°C / +50°C



Can be used underground



GEL BOX LINE a simple way to bring indoor connectors outdoors

Gel Box Line

Pre-filled gel accessories for sealing, protecting and making safe electrical connections


WATT

- To put household systems in order
- For civil and industrial connections
- Also for submersible use
- Non-toxic and with no shelf life
- Versatile and ready to use
- Designed with dimensions suitable for the most commonly used connectors









Isaac

Description	Package
x 4 pcs	Blister
x 30 pcs	Box
x 50 pcs	Multipack
	x 4 pcs x 30 pcs

IDEAL FOR (or similar):















* Also available the flame retardant version in the following colours: yellow, orange, blue or black.

c |

30 x 27 x 23





			BA
Product	Description	Package	A x B x C (mm)
Pascal 6	x 2 pcs	Blister	
Pascal 6 P15	x 15 pcs	Box	36 x 37 x 26
Pascal 6 MP *	x 25 pcs	Multipack	

IDEAL FOR (or similar):

2x 4 mm²

3x 4 mm





* Also available the flame retardant version in the following colours: yellow, orange, blue or black.









Watt	-			C B A
Product		Description	Package	A x B x C (mm)
Watt		x 2 pcs	Blister	
Watt P15		x 15 pcs	Box	30 x 42 x 26
Watt MP *		x 25 pcs	Multipack	
IDEAL FOR (or si	M.M	CIIII)	***	* Also available the flame retardant version in the following colours:
3x 2.5 mm ²	2x + 2x 2.5 mm ²	5x 2.5 mm ²	2x + 2x 4 mm ² 5x 4 mm ²	yellow, orange, blue or black.



Joule			C B A
Product	Description	Package	A x B x C (mm)
Joule	x 1 pcs	Blister	22
Joule MP *	x 20 pcs	Multipack	33 x 52 x 26
IDEAL FOR (or similar):			
De De Ma	000		* Also available the flame



ALC:	Ser.	100	1
	-	-25-	
2x +	2x + 2x	4 mm ²	

* Also available the flame
retardant version in
the following colours:
yellow, orange, blue or black.

c |





			e A
Product	Description	Package	A x B x C (mm)
Kelvin	x 1 pcs	Blister	
Kelvin P9	x 9 pcs	Box	52 x 53 x 29
Kelvin MP *	x 20 pcs	Multipack	
















Gel Box Line Kit

Complete with connectors



Pascal N	Л2,5		C B A	
Product	Description	Package	A x B x C (mm)	PASCAL M2,5 mm 24: No.28
Pascal M2,5	12 pieces + 36 terminal blocks (2.5 mm²)	Box	36 x 37 x 26	
max 3 w max 2.5				
Kelvin N	//4		C	
Product	Description	Package	A x B x C (mm)	KELVIN M4
Kelvin M4	6 pieces + 24 terminal blocks (4 mm²)	Box	52 x 53 x 29	
	x 3 wires x 4 mm²			GelBox L
Watt +			C B A	-
Product	Description	Package	A x B x C (mm)	
Watt + 1.5	10 pieces + 30 end connectors/ terminal blocks (1.5 mm ²)	Box	30 x 42 x 26	
Watt + 2.5	10 pieces + 30 end connectors/	Вох	SU X 42 X 20	×10 Same

Watt + 1.5	
Watt + 2.5	

m m

ах	3	W	/ires
ах	2	.5	$\rm mm^2$

Box	30
Box	50



Kelvin +

Kelvin +			C B A
Product	Description	Package	A x B x C (mm)
Kelvin + 4	10 pieces + 30 end connectors/ terminal blocks (4 mm²)	Box	
Kelvin + 6	10 pieces + 30 end connectors/ terminal blocks (6 mm²)	Box	52 x 53 x 29
Kelvin 6+4	6 pieces + 20 end connectors/ terminal blocks (4 mm²)	Box	52 X 55 X 29
Kelvin 6+6	6 pieces + 20 end connectors/ terminal blocks (6 mm²)	Box	

terminal blocks (2.5 mm²)





max 3 wires max 6 mm²





Electrical performance: CEI EN 50393

Gel: UL 94-HB 🕬 🗤

Operating •90° temperature

Installation temperature: -40°C / +50°C



Gel Cover Line

Pre-filled gel accessories for straight connections, for the protection, safety and covering of electrical connections using strip connectors or alternatives

- For 3 x 1 to 6 mm2 cables or 3 insulated wires
- For civil and industrial connections
- To put household systems in order
- Also for underwater use
- Non-toxic and with no shelf life
- Ready to use







Gel



OHM & BAR

				В
Product	Housed connectors type	Pieces for package	Package type	Dimensions A x B x C (mm)
OHM	2 from 4 mm ²	1	blister	61 x 35 x 28
OHMp11	2 110111 4 111111-	11	box	01 X 33 X 20
BAR	3 from 4 mm ² / 6 mm ²	1	blister	63 x 41 x 28
BARp9	3 11011 4 111117 0 11111	9	box	05 X 41 X 20



Mammut Gel Cover

Product	Housed connectors type	Pieces for package	Package type	Dimensions A x B x C (mm)
Gel Cover 4	2 from 4 mm ²	1	blister	61 x 35 x 28
Mammut Gel Cover	2 from 4 mm²	6	box	01 X 35 X 28
Gel Cover 6	3 from 4 mm ² / 6 mm ²	1	blister	63 x 41 x 28
Mammut Gel Cover 6	5 110111 4 1111177 0 111111	8	box	UJ X 41 X 20


No flame propagation. CEI 20-35 • IEC 60332-1 • HD405-1 (as applicable) Casing mix: UL 94-V2



Installation examples















Electrical performance: CEI EN 50393: 2006

Gel: UL 94-HB S

Installation temperature: -40°C / +50°C ◆

Can be used underground

Fully submersible

IPX8 OFFICIALLY TESTED

Operating temperature

as applicable

GEL CONNECTION



Pre-filled gel accessories to seal, protect and make safe electrical connections. Inclusive of connectors

- Ready to use, quick, re-enterable!
- No tools required
- Can energise immediately
- For straight & branch connections
- For rigid or flexible insulated wires from 1 a 4 mm²
- For 1, 2 and 3 cores connections
- Up to 5 conductors on one phase or up to 2 conductors on two or three phase

NANO JOINT 5

NANO JOINT 6

- Small, compact and resistant
- No shelf life
- Halogen free
- UV resistant

NANO JOINT 3

Latest generation, extra flat connectors included in thew kit.



GEL CONNECTION ------

SPECIAL KIT

With one connector included for each Nano Joint

Nano 3				C B A
Product	Formation and w (Max N° x mm ²)	ires cross section Combination	Pieces for package	A x B x C (mm)
Nano 3	3 x 1 - 4	2 through / 1 branch	4 pcs/ Blister	30 x 27 x 23



max 3 wires max 4 mm²

Nano 5

				BA
	Formation and w	ires cross section	Pieces for	AxBxC
Product	(Max N° x mm²)	Combination	package	(mm)
Nano 5	5 x 1 - 4	2 through / 3 branch	2 pcs/ Blister	30 x 42 x 26







With one connector included for each Nano Joint



max 5 wires max 4 mm²

Nano 6				C B A
	Formation and w	ires cross section	Pieces for	AxBxC
Product	(Max N° x mm ²)	Combination	package	(mm)
Nano 6	6 x 1 - 4	3 through / In/Out	1 pcs/ Blister	33 x 52 x 26





With three connectors included for each Nano Joint









Electrical performance: CEI EN 50393: 2006

Gel: UL 94-HB

Installation temperature: -40°C / +50°C

Can be used underground 🖉

Fully submersible 🃚

IPX8 OFFICIALLY TESTED
IMQ

Operating temperature

as applicable

GEL CONNECTION



Pre-filled gel accessories to seal, protect and make safe electrical connections. Inclusive of connectors.

- Ready to use, quick, re-enterable!
- Ideal for outdoor & underground installations, fully submersible

NANO FOR 2,5

- Immediately energizable
- For rigid or flexible insulated wires from 1 a 4 mm²
- For 1, 2 or 3 cores connections
- Small, compact and resistant
- No shelf life
- Halogen free
- UV resistant

NANO FOR 4

NANO MAM 4

Kit with end connectors/ terminal blocks

NANO MAM 2,5

Kit with terminal blocks

Hay teci 16

GEL CONNECTION - -----

SPECIAL KIT

With one connector included for each Nano Mam

Nano Mam 2,5					
Product	Formation and w (Max N° x mm ²)	rires cross section Combination	Pieces for package	A x B x C (mm)	
Nano Mam 2,5	3 x 1 - 2,5	3 through	2 pcs/ Blister	36 x 37 x 26	

max 3 wires max 2.5 mm²

Nano Mam 4

Product	Formation and w	ires cross section	Pieces for	A x B x C
	(Max N° x mm ²)	Combination	package	(mm)
Nano Mam 4	3 x 1,5 - 4	3 through	1 pcs/ Blister	52 x 53 x 29



max 3 wires max 4 mm²

Nano For 2,5

max 3 wires max 2.5 mm²

Product	Formation and w	rires cross section	Pieces for	A x B x C
	(Max N° x mm ²)	Combination	package	(mm)
Nano For 2,5	3 x 1 - 2,5	3 connections / In/Out	1 pcs/ Blister	33 x 52 x 26




c |



With one connector included for each Nano Mam



With one connector included for each Nano For







With one connector included for each Nano For



				ь A
	Formation and w	ires cross section	Pieces for	AxBxC
Product	(Max N° x mm²)	Combination	package	(mm)
Nano For 4	3 x 1 - 4	3 connections / In/Out	1 pcs/ Blister	52 x 53 x 29





max 3 wires max 6 mm²





SPECIAL KIT

Electrical performance: CEI EN 50393: 2006

Gel: UL 94-HB CALUS

Operating voltage: 0,6 / 1kV

temperature

Fully submersible \gtrsim

Installation temperature: -40°C / +50°C

Can be used undergroun

as applicable

Operating 90°

IPX8 OFFICIALLY TESTED

GEL CONNECTION

Bravo

The first "Gel-Box" with integrated connectors!

- Ready to use, quick, re-enterable!
- Self-locking connection block
- For rigid or flexible insulated wires from 1 a 6 mm²
- Immediately energizable
- For straight & branch connections
- For 1 or 3 cores connections
- Small, compact and transparent
- No shelf life
- Halogen free
- UV resistant

BRAVO 3-6

BRAVO 1-6








Bravo 1-6	Formation and v	vires cross section	l	B A C
Product	Straight or through (N° x mm²)	Branch (N° x mm²)	Pieces for package	A x B xC (mm)
Bravo 1-6	1 x 1 - 6	1 x 1 - 6	1 pcs/ Blister	50 x 29 x 22



Bravo 3-6	Formation and v	wires cross section		
Product	Straight or through (N° x mm²)	Branch (N° x mm²)	Pieces for package	A x B xC (mm)
Bravo 3-6	2 x 1 - 6 3 x 1 - 6	2 x 1 - 6 3 x 1 - 6	1 pcs/ Blister	53 x 49 x 22











To choose the suitable accessory for

Gel Connection Accessories also suitable for continuous submersible use





Installation temperature: -40°C / +50°C

Fully submersible 📚

Can be used underground

		1	Lalate	199
	GEL C⊙NNECTI⊙N	(chocolate		End connectors/ terminal blocks
	HAPPY 0 41 x 28 x 19 mm	2x 2,5 mm ²	Зx	Зx
Revolution	HAPPY 1 45 x 37 x 24 mm	2,5 mm²	2,5 mm²	2,5 mm²
	HAPPY 2 53 x 39 x 24 mm		4 mm ²	4 mm ²
Classic Gel Box Line	ISAAC 30 x 27 x 23 mm	2,5 mm ²		
	PASCAL 36 x 37 x 26 mm	4 mm ²	4 mm ²	1,5 mm ²
	WATT 30 x 42 x 26 mm			2,5 mm²
	JOULE 33 x 52 x 26 mm			4 mm ²
	KELVIN 52 x 53 x 29 mm		4 mm ² 6 mm ²	4 mm ² 6 mm ²



your application, begin with your preferred connector

		STILL			No.
First ger (6	neration of lever con e.g. WAGO 222 or similar	nnectors ^{r)}		Flat lever connectors J. WAGO 221 type or sim	
2x	3х	5x	2x	3х	5x
۱	1		*	**	
🐠 + 🐠	W	**	👾 + 🛞		No. of Concession, Name
(i) + (i) + (i)	🐠 + 🛞		₩+₩+₩	🥐+ 🤲	
		<u>.</u>			·

🐠 + 🐠	1			
🧆 + 🐠	**	* +		No. of Concession, Name
Ø+Ø+Ø	1			No. of Concession, Name





"Information given here, including photos and drawings, are only intended as a general description. Raytech is not responsible for its accuracy,completeness and possible utilisation for working purposes. Raytech may only be held responsible for the product included in standard sales terms and conditions and declines any possible liabilities for direct or indirect accidents and/or damages produced by wrong and inappropriate use. Each user must decide the best way to use it".

GEL CONNECTION SMALL WATERPROOF ACCESSORIES FOR BIG INSTALLATIONS





RAYTECH S.r.l. Via Enrico Fermi 11/13/17 Settimo Milanese (MI) tel: +39 02 33500 147 www.raytech.it